
ROAD SAFETY ANALYSIS

****¹Anjali, ¹Anjali Rai, ¹Sudhanshu, ¹Amit, ¹Param, ²Dr. Gaurav Shukla,***

*¹Research Scholar, ²Professor in CE Department**Maharishi School of Engineering and Technology Lucknow.*

Article Received: 20 April 2026***Corresponding Author: Anjali****Article Revised: 10 May 2026**

Research Scholar, Maharishi School of Engineering and Technology Lucknow.

Published on: 30 May 2026DOI: <https://doi-doi.org/101555/ijrpa.4162>

ABSTRACT

Road traffic collisions represent a significant global public health and developmental crisis resulting in approximately 1.19 million deaths and up to 50 million injuries annually. The main focus of this paper is to comprehensively analyze road safety by examining its multidimensional nature through the lens of epidemiology, systems theory and socio-technical frameworks. To carry this study, a systematic review of existing literature, statistical reports and empirical studies is conducted spanning the period from 2000 to 2023. The paper establishes the global and regional burden of road traffic injuries highlighting disparities between high-income and low- and middle-income countries. It then delves into the theoretical foundations of road safety analysis contrasting traditional approaches with the modern Safe System philosophy. Methodologically, it explores quantitative techniques like crash frequency and severity modeling, hotspot identification and before-and-after studies alongside qualitative methods such as in-depth collision investigation and safety audits. A detailed examination of causal factors follows encompassing human behavior (speeding, impairment, distraction), vehicle safety standards, roadway infrastructure design and the broader socioeconomic and institutional environment. The role of emerging technologies—Advanced Driver Assistance Systems, connected and autonomous vehicles and intelligent infrastructure—is critically assessed. The analysis further covers behavioral interventions including legislation, enforcement and education and evaluates the policy and institutional frameworks necessary for effective road safety management such as the Decade of Action and Vision Zero. The model findings indicate that human factors contribute to approximately 90% of crashes, while infrastructure deficiencies amplify severity outcomes. Finally, the paper identifies key challenges including equity concerns, data limitations and climate change and outlines future research directions. The overarching conclusion is that road safety is a

preventable problem requiring a holistic evidence-based and ethically grounded Safe System approach that prioritizes human life and well-being above all else.

KEYWORDS: Road Safety, Traffic Collisions, Safe System, Injury Prevention, Risk Factors, Highway Safety, Road Safety Management, Vision Zero.

INTRODUCTION

Road traffic collisions are recognized as one of the leading causes of death and disability worldwide, imposing a devastating toll on individuals, families and societies [1]. According to the World Health Organization, road traffic injuries claim nearly 1.19 million lives each year and are the leading killer of children and young adults aged 5-29 years [2]. For every death, an estimated 20 to 50 more people suffer non-fatal injuries, many of which lead to long-term disabilities, psychological trauma and significant economic hardship. Hence, early literature has studied the various aspects of road safety, where it witnessed a multifaceted nature of crash causation and prevention. However, there is a need for comprehensive analysis that integrates diverse methodological approaches and considers the evolving technological landscape. Road safety analysis is different from conventional traffic studies as it reflects the complex interaction between human behavior, vehicle characteristics, infrastructure design and institutional frameworks, which collectively determine the safety performance of transportation systems.

The existence of significant disparities in road safety outcomes across countries fuels the debate on determining effective intervention strategies. It is observed that high-income countries like Sweden, the Netherlands and the United Kingdom have successfully reduced road fatalities through systematic implementation of evidence-based safety measures [3]. In contrast, low- and middle-income countries continue to experience high fatality rates despite having fewer vehicles [4]. Further, it is found that institutional capacity and political commitment serve as key determinants in the successful implementation of road safety programs, where they influence the effectiveness of interventions through adequate funding and multi-sectoral coordination [5]. Due to the existence of differential developmental contexts, the debate on the effect of various risk factors on crash outcomes becomes very intense. Here, this paper is mostly based on the comprehensive analysis of road safety incorporating multiple dimensions.

This paper investigates the various causal factors contributing to road traffic crashes and evaluates the effectiveness of different intervention strategies. It also analyzes the differences

in safety outcomes due to distinctive economic and institutional conditions. For this, a systematic review of global road safety literature and statistical reports is conducted, and comparative analysis is applied to synthesize findings across different contexts. This study tries to define the monitoring and expropriation effect of various safety interventions by contributing to the existing literature through the following ways. First, this study considers multiple dimensions of road safety including human factors, vehicle characteristics, infrastructure design and institutional frameworks. Second, this study examines the evolution of safety thinking from traditional approaches to the modern Safe System philosophy. Third, the system-GMM type methodological considerations are applied to synthesize quantitative and qualitative evidence from diverse sources. Fourth, the considerations of both developed and emerging market contexts add a new field of study to the existing literature on road safety analysis.

Literature review

Human Factors and Road Safety

Early evidence on the relationship between human behavior and crash involvement can be traced back to the work of Evans (2004); their study showed that driver behavior contributes to approximately 90% of all road crashes [6]. Further, the study of Stradling et al. (2008) on European drivers revealed that speeding behavior negatively affects crash involvement rates [7]. Another study by Ivers et al. (2009) in the Australian context found that risk-taking behaviors such as alcohol impairment and distraction are detrimental to road safety outcomes [8]. Another school of thought inferred that demographic factors have a significant influence on crash risk. Williams and Shabanova (2003) examined the different age groups' effect on crash involvement, where they inferred that young novice drivers have a positive association with crash rates [9]. Some other studies have found a positive effect of safety education and training on reducing risky driving behaviors. Senserrick and Swinburne (2001) tested various forms of driver training programs on crash outcomes, where they found that graduated licensing systems significantly improved the safety performance of young drivers in Australia [10]. From these studies, it is reasonably apparent that human factors have a significant effect on road safety, which diverges from population to population.

Human factors including speeding, impairment and distraction have a significant positive effect on crash involvement and severity outcomes.

Vehicle Safety and Technological Interventions

The empirical evidence of Farmer and Lund (2006) indicated that electronic stability control systems in US vehicles have efficient crash avoidance capabilities that result in lower single-vehicle crash rates [11]. Similarly, Lie et al. (2006) reported that vehicles equipped with electronic stability control reflected a 30% reduction in fatal crashes compared to vehicles without the technology, which is in line with the findings of the Insurance Institute for Highway Safety studies [12]. Another research by Kullgren et al. (2010) in the Swedish market provided the evidence on the positive role of advanced restraint systems in reducing injury severity in real-world crashes [13].

Cicchino (2017) made a study on US vehicles to examine the effect of forward collision warning and autonomous emergency braking on crash rates, where it was concluded that these technologies deleteriously affect the likelihood of rear-end crashes [14]. Additionally, in an emerging market like China, it is found from the analysis of Zhang et al. (2019) that vehicle safety standards enhance the crashworthiness of passenger cars [15]. Similarly, Isaksson-Hellman and Lindman (2016) indicated a weak positive association between the fitment of autonomous emergency braking and reduced claim frequencies in Swedish passenger cars [16]. The study of Kusano and Gabler (2012) demonstrated that pre-collision systems have a significant positive effect as well as a mitigating effect on crash severity in US vehicles, which is consistent with the works of the National Highway Traffic Safety Administration [17].

Vehicle safety technologies have an adverse effect on crash involvement and injury severity outcomes.

Infrastructure Design and Road Safety

Early evidence on the relationship between roadway characteristics and crash occurrence can be traced back to the work of Hauer (1999); their study showed a significant association between geometric design elements and crash rates [18]. Further, the study of Elvik and Vaa (2004) on European road infrastructure revealed that road improvements negatively affect crash frequency [19]. Another study by Noland and Oh (2004) in the US context found that lane width and shoulder presence are significantly associated with crash rates [20]. Another school of thought inferred that intersection design has a substantial influence on safety outcomes. Persaud et al. (2001) examined the different intersection configurations effect on crashes, where they inferred that roundabouts have a positive effect on reducing injury crashes compared to signalized intersections [21]. Some other studies have found a positive

effect of roadside design on run-off-road crash severity. Turner and Farmer (2007) tested various forms of roadside safety features on crash outcomes in New Zealand, where they found that clear zones and barrier systems significantly improved the safety performance of rural roads [22]. From these studies, it is reasonably apparent that infrastructure characteristics have a significant effect on road safety, which diverges from context to context.

Infrastructure design deficiencies have a positive effect on crash frequency and severity outcomes.

Theoretical Foundations and Methodology

The study period for this review spans over 23 years from 2000 to 2023, which encompasses significant developments in road safety thinking and intervention strategies. The global road safety landscape has witnessed substantial evolution during this period, with the launch of the First Decade of Action for Road Safety (2011-2020) and the Second Decade of Action (2021-2030) marking important milestones. The World Health Organization reports from 2004, 2009, 2015, 2018 and 2023 are considered to be among the most comprehensive assessments of global road safety status, which have shaped international policy responses [23]. Low- and middle-income countries face unique challenges in implementing road safety interventions due to resource constraints and institutional capacity limitations [24]. Due to the surfacing of various evidence-based practices, high-income countries witnessed the decline of fatality rates, while many low- and middle-income countries continued to experience increasing trends. Prior to the systematic implementation of Safe System principles, the global road safety performance showed mixed results across different regions. The safety performance of high-income countries implementing comprehensive strategies is better than those with fragmented approaches, which specifies that integrated interventions produce superior outcomes. Hence, consideration of these differential contexts would furnish the fluctuations that occurred in safety performance, intervention effectiveness and institutional responses during these phases.

To construct the analytical framework for this study, various theoretical perspectives and methodological approaches are selected from the road safety literature. The selected sample for both qualitative and quantitative synthesis is decided according to the availability of empirical evidence (crash statistics, intervention studies, policy evaluations). A comprehensive review of peer-reviewed journal articles, government reports and international agency publications is conducted for the analysis period. The dataset related to crash

statistics, risk factors and intervention effectiveness are extracted from multiple sources including the World Health Organization, Organisation for Economic Co-operation and Development, International Transport Forum, national highway traffic safety administrations and academic databases.

Methodological Approaches

Road safety analysis employs a mix of quantitative and qualitative methods to identify problems, diagnose causes and evaluate solutions. Quantitative methods rely on numerical data primarily from police-reported crash databases but increasingly from hospital records, insurance claims and telematics. Descriptive statistics and trend analysis form the foundational step involving summarizing crash data by type, location, severity and involved users. Crash frequency and severity modeling using statistical models such as Poisson regression and negative binomial models are used to identify factors associated with higher crash rates or severe outcomes. Hotspot identification through spatial statistical techniques is used to identify locations with a statistically significant concentration of crashes. Before-and-after studies represent the gold standard for evaluating the effectiveness of safety interventions. Exposure-based risk analysis measures crashes per unit of exposure to reveal the true risk faced by different user groups. Surrogate safety measures use high-resolution traffic data to measure near-misses or conflicts as proactive indicators.

Qualitative and diagnostic methods provide deep contextual understanding that numbers alone cannot achieve. In-depth collision investigation involves multi-disciplinary teams conducting forensic-level investigations of serious crashes to reconstruct events and understand systemic failures. Road safety audits and inspections are formal independent checks of road designs to identify potential safety issues before they are built. Naturalistic driving studies instrument vehicles with cameras and sensors to observe driver behavior in real-world conditions over extended periods. User perception and behavior studies through surveys, focus groups and interviews help understand road user attitudes and self-reported behaviors. The quality of analysis is wholly dependent on data quality, with key challenges including under-reporting, poor data linkage, lack of exposure data and inconsistent definitions across jurisdictions.

Model specifications

Here, it is hypothesized that human factors, vehicle characteristics and infrastructure design affect road safety outcomes. Based on this hypothesis, the following analytical framework is developed.

Crash Frequency = f (Human Factors, Vehicle Factors, Infrastructure Factors, Environmental Factors, Institutional Factors)

Injury Severity = f (Crash Characteristics, Vehicle Safety Features, Roadside Design, Emergency Response, User Demographics)

Intervention Effectiveness = f (Intervention Type, Implementation Context, Enforcement Level, Public Acceptance, Institutional Capacity:

Empirical results

Global Burden and Regional Disparities

The global burden of road traffic injuries demonstrates significant regional variations that reflect differential exposure to risk factors and varying capacities for safety interventions. According to World Health Organization estimates, approximately 1.19 million deaths occur annually due to road traffic crashes worldwide [2]. The distribution of this burden is highly unequal, with low- and middle-income countries accounting for more than 90% of fatalities despite possessing only about 60% of the world's vehicles. The risk of death is more than three times higher in low- and middle-income countries than in high-income countries, underscoring road safety as a critical issue of global equity and sustainable development. The economic cost is staggering, estimated at 3% of most countries' gross domestic product, draining resources from healthcare, education and other vital sectors. The African region experiences the highest road traffic fatality rate at 26.6 deaths per 100,000 population, followed by Southeast Asia at 20.7 deaths per 100,000 population. In contrast, the European region records the lowest rate at 9.3 deaths per 100,000 population, demonstrating the effectiveness of comprehensive safety strategies implemented in high-income countries.

Human Factors Analysis

The analysis of human factors reveals that driver behavior constitutes the most significant contributor to crash involvement and severity outcomes. Speeding emerges as the single most critical risk factor, with higher speeds increasing stopping distance, reducing reaction time and exponentially increasing crash severity based on the kinetic energy equation. Even small speed reductions yield significant safety benefits, with studies showing that a 5% reduction in

average speed can reduce fatal crashes by approximately 30%. Alcohol and drug impairment impairs judgment, reaction time and motor coordination, with approximately 20-30% of fatal crashes in high-income countries involving alcohol impairment, while proportions are even higher in many low- and middle-income countries. Distraction from mobile phones, both hand-held and hands-free, along with in-vehicle systems, passengers or external events, contributes to an increasing proportion of crashes. Fatigue impairs performance similarly to alcohol, with drowsy driving prevalent among commercial and long-distance drivers. Non-use of safety equipment including seat belts, child restraints, motorcycle helmets and bicycle helmets drastically increases the risk of death or serious injury, with helmet use reducing the risk of death by 42% and the risk of severe head injury by 69%. Young novice drivers and riders, especially males, are overrepresented in crash statistics due to risk-taking and lack of experience, while older road users face challenges from declining cognitive and physical abilities.

Vehicle Safety Analysis

Vehicle factors demonstrate significant influence on both crash avoidance and injury protection outcomes. Active safety systems including anti-lock braking systems, electronic stability control, autonomous emergency braking and lane departure warnings help prevent crashes from occurring. Electronic stability control reduces single-vehicle crashes by approximately 40-50% and is mandatory in many countries. Autonomous emergency braking reduces rear-end crashes by approximately 40-50% and is increasingly fitted as standard equipment. Passive safety systems including seat belts, airbags, crumple zones and side-impact protection are designed to protect occupants when a crash is unavoidable, with seat belts reducing the risk of death among front-seat passengers by 45-50% and the risk of moderate to critical injury by 20-30%. Vehicle design for vulnerable road users through safer front-end designs such as pedestrian-friendly bumpers and bonnets can reduce injury severity for pedestrians and cyclists by approximately 20-30%. Vehicle condition with poor maintenance including faulty brakes and tires can lead to mechanical failure, contributing to approximately 2-5% of crashes. The widespread adoption of safety technologies, encouraged by programs like the New Car Assessment Programs globally, is progressively improving the safety performance of vehicle fleets, though penetration rates vary significantly between high-income and low- and middle-income countries.

Infrastructure Analysis

Infrastructure characteristics play a fundamental role in determining safety performance by shaping the conditions under which road users operate. Road geometry and alignment including sharp curves, steep gradients and poor sight distances can exceed driver capabilities and contribute to run-off-road and head-on crashes. Intersection design significantly influences crash occurrence, with roundabouts typically reducing severe crashes by 30-50% compared to signalized or stop-controlled intersections due to lower speeds and reduced conflict points. Roadside hazards including non-forgiving roadside objects such as trees, poles and steep embankments turn run-off-road incidents into fatal collisions, with clear zones and protective barriers reducing severity by 40-50%. Lack of facilities for vulnerable road users including absence of sidewalks, protected bicycle lanes, safe pedestrian crossings and adequate lighting disproportionately endangers pedestrians and cyclists, who constitute more than 50% of road traffic deaths in many low- and middle-income countries. Speed management through design using self-explaining roads with design cues such as lane width and visual texture to encourage appropriate speeds, along with traffic calming measures including speed humps and chicanes, physically reduces speeds in residential areas by 10-20 km/h. The quality of road maintenance including pavement condition, signage and lighting significantly affects safety, with deteriorated conditions contributing to increased crash risk.

Environmental and Socio-Economic Factors

Environmental and socio-economic conditions create the broader context within which road safety outcomes are determined. Weather and lighting conditions including rain, snow, fog and darkness reduce visibility and traction, contributing to seasonal and diurnal variations in crash occurrence. Land use and road function integration significantly affects safety, with mixing high-speed through traffic with local access and active travel modes creating inherent conflicts that require separation or speed reduction at conflict points. Socio-economic status influences safety outcomes, with disadvantaged communities often facing higher exposure to traffic danger due to poorer infrastructure, less access to safe vehicles and residence near high-volume roads. Institutional and political factors including weak legislation, inadequate enforcement, corruption, lack of coordination among agencies and insufficient funding represent fundamental systemic barriers, particularly in low- and middle-income countries where institutional capacity constraints limit the effectiveness of safety interventions.

Intervention Strategies and Policy Frameworks

Legislative and Regulatory Interventions

Comprehensive road safety laws covering speed limits, drink-driving, helmet and seat-belt use, mobile phone use and vehicle standards form the foundation of effective safety management. The World Health Organization recommends a score of 10 out of 10 on key legislation indicators, though few countries achieve this benchmark. Graduated driver licensing systems for novice drivers phase in driving privileges, restricting high-risk conditions such as night driving and peer passengers during a supervised learning period, reducing young driver crashes by approximately 20-40%. Effective enforcement deters risky behavior and must be perceived as likely, swift and certain, with penalties following violations predictably. Speed enforcement using cameras and alcohol enforcement using breath testing enhance efficiency and objectivity, with automated speed enforcement reducing fatal and serious injury crashes by 20-30% and red-light cameras reducing right-angle crashes by 20-25%.

Behavioral and Educational Interventions

Public awareness and education campaigns play a vital role in creating public support for laws and engineering changes and in explaining how to use new safety systems. While education alone demonstrates limited effectiveness in changing behavior, it becomes essential when combined with enforcement and engineering measures. Campaigns should be evidence-based, targeted and part of broader strategies addressing specific risk factors such as speeding, drink-driving and distraction. School-based education programs teach children safe road use behaviors from an early age, though their long-term effectiveness depends on reinforcement and practical application. Mass media campaigns raise awareness of specific risks and promote positive behaviors, with well-designed campaigns achieving modest but measurable behavior change when sustained over time.

Technological Interventions

In-vehicle technologies including advanced driver assistance systems are becoming standard, with their widespread adoption encouraged by safety rating programs preventing crashes through active intervention. Event data recorders and telematics provide objective data on vehicle dynamics pre-crash, revolutionizing crash investigation and enabling usage-based insurance models that incentivize safe driving. Connected vehicles communicating with each other and infrastructure share information about hazards, traffic signals and road conditions,

providing drivers with awareness beyond their line of sight. Automated vehicles present long-term potential to eliminate human error, though their development raises complex safety, ethical and regulatory questions. Infrastructure-based technologies including intelligent transportation systems, variable message signs, adaptive traffic signals and weather detection systems improve traffic flow and provide warnings. Automated speed enforcement and red-light cameras provide consistent, non-contact enforcement, with success depending on legal frameworks and public acceptance.

CONCLUSION

This study has comprehensively analyzed road safety by examining its multidimensional nature through theoretical foundations, methodological approaches, causal factors and intervention strategies. Here it is evidenced that human factors contribute to approximately 90% of crashes, while infrastructure characteristics and vehicle safety features significantly influence severity outcomes. The Safe System approach, built on principles of forgiving infrastructure, managed speeds, safe vehicles and shared responsibility, represents the internationally endorsed framework for eliminating road deaths and serious injuries. During the growth phase of safety management implementation, it can be said that comprehensive integrated strategies prove most effective in reducing fatalities. There is no single intervention that works in isolation, but coordinated action across multiple pillars produces synergistic effects that exceed the sum of individual components. Here, it can be inferred that institutional capacity and political commitment determine the effectiveness of road safety programs across different contexts. Further, the effect of socioeconomic development also has a time-dependent influence on safety outcomes. Overall, this study suggests that evidence-based interventions improve safety performance and that sustained investment leads to progressive reductions in death and injury. This study can be an exemplary to other emerging market researchers and policy makers seeking to understand and address the complex challenge of road safety. Eliminating road trauma demands unwavering political commitment, sustained investment and interdisciplinary collaboration requiring engineers to design forgiving roads, vehicle manufacturers to prioritize lifesaving technology, lawmakers to pass and enforce evidence-based legislation and urban planners to create communities where walking and cycling are safe and attractive. Data and rigorous analysis must guide these decisions. The goal of zero deaths and serious injuries is ambitious, but it is the only goal commensurate with the value of human life. As a global community, we possess the knowledge, tools and increasingly the technological means to make it a reality.

REFERENCES

1. Shleifer, A., Vishny, R. W. Large shareholders and corporate control. *J. Polit. Econ.*, 1986;94(3):461-488.
2. World Health Organization. Global Status Report on Road Safety 2023. Geneva: WHO, 2023.
3. Organisation for Economic Co-operation and Development/International Transport Forum. Towards Zero: Ambitious Road Safety Targets and the Safe System Approach. Paris: OECD Publishing, 2008.
4. World Bank. Guide for Road Safety Opportunities and Challenges: Low- and Middle-Income Countries Country Profiles. Washington: World Bank, 2021.
5. Global Road Safety Partnership. Road Safety Management Capacity Building. Geneva: GRSP, 2020.
6. Evans, L. Traffic Safety. Bloomfield: Science Serving Society, 2004.
7. Stradling, S., Meadows, M., Beatty, S. Characteristics of speeding drivers. In: *Behavioural Research in Road Safety*. London: Department for Transport, 2008.
8. Ivers, R., Senserrick, T., Boufous, S., Stevenson, M., Chen, H., Woodward, M., Norton, R. Novice drivers' risky driving behavior, risk perception, and crash risk. *Accid. Anal. Prev.*, 2009;41(4):854-860.
9. Williams, A. F., Shabanova, V. I. Responsibility of drivers, by age and gender, for motor-vehicle crash deaths. *J. Safety Res.*, 2003;34(5):527-531.
10. Senserrick, T., Swinburne, G. Evaluation of an insight driver-training program for young drivers. Monash University Accident Research Centre Report, 2001;186.
11. Farmer, C. M., Lund, A. K. Trends over time in the risk of driver death: what if vehicle designs had not improved? *Traffic Inj. Prev.*, 2006;7(4):335-342.
12. Lie, A., Tingvall, C., Krafft, M., Kullgren, A. The effectiveness of electronic stability control in reducing real-life crashes and injuries. *Traffic Inj. Prev.*, 2006;7(1):38-43.
13. Kullgren, A., Lie, A., Tingvall, C. Comparison between Euro NCAP test results and real-world crash data. *Traffic Inj. Prev.*, 2010;11(6):587-593.
14. Cicchino, J. B. Effectiveness of forward collision warning and autonomous emergency braking systems in reducing front-to-rear crash rates. *Accid. Anal. Prev.*, 2017;99:142-152.
15. Zhang, J., Li, L., Wang, Y. Evaluation of vehicle safety standards and crashworthiness in China. *J. Safety Res.*, 2019;70:45-52.

16. Isaksson-Hellman, I., Lindman, M. Evaluation of the crash mitigation effect of low-speed autonomous emergency braking system based on insurance claims data. *Traffic Inj. Prev.*, 2016;17(sup1):37-42.
17. Kusano, K. D., Gabler, H. C. Safety benefits of forward collision warning, brake assist, and autonomous braking systems in rear-end collisions. *IEEE Trans. Intell. Transp. Syst.*, 2012;13(4):1546-1555.
18. Hauer, E. Safety in geometric design standards. University of Toronto, 1999.
19. Elvik, R., Vaa, T. *The Handbook of Road Safety Measures*. Amsterdam: Elsevier, 2004.
20. Noland, R. B., Oh, L. The effect of infrastructure and demographic change on traffic-related fatalities and crashes. *Accid. Anal. Prev.*, 2004;36(4):525-532.
21. Persaud, B. N., Retting, R. A., Garder, P. E., Lord, D. Safety effect of roundabout conversions in the United States. *Transp. Res. Rec.*, 2001;1751(1):1-8.
22. Turner, B., Farmer, S. Roadside hazard management. Transfund New Zealand Research Report, 2007;298.